Anaesthesia

Journal of the Association of Anaesthetists of Great Britain and Ireland

Volume 50 (1995)

Editor M. MORGAN
Assistant Editors D. E. F. NEWTON, R. A. MASON, M. HARMER, J. P. H. FEE, D. BOGOD

Editorial Board
Chairman The President of the Association S. M. LYONS
Members P. G. M. WALLACE, SIR KEITH SYKES, D. P. CARTWRIGHT and J. GREIFF

Ex officio
The Honorary Treasurer of the Association W. L. M. BAIRD
The Honorary Secretary of the Association D. A. SAUNDERS
The Immediate Past Honorary Secretary of the Association R. S. VAUGHAN

© 1995 The Association of Anaesthetists of Great Britain and Ireland
Origination by BPC Whitefriars Ltd, Tunbridge Wells, and printed and bound in Great Britain by
BPC Wheatons Ltd, Exeter

Volume 50 (1995), Contents

Number 1, January 1995

EDITORIAL

Anaesthesia—50th year of publication
M. Morgan 1

ORIGINAL ARTICLES

The relationship between clinical effect and concentrations of temazepam in plasma and cerebrospinal fluid
A.C. Moffat, G.A. Osborne, N.R. Badcock, P. Maranucci, T. Nyman and W.J. Russell 3

Facial sensory evoked muscle potentials during labour. A continuous objective monitor of adequacy of analgesia?
P.J.D. Andrews, W.E. Ackerman, M.J. Juneja and R. Vogel 9

Epidural diamorphine. A comparison of bolus and infusion administration in labour
M. Daniel and E.M. McGrady 14

Stress response to tracheal intubation: direct laryngoscopy compared with blind oral intubation
T. Pernerstorfer, P. Krafft, R.D. Fitzgerald, C.G. Krenn, A. Chiari, O. Wagner and C. Weinstabl 17

Double burst stimulation for monitoring neuromuscular blockade for tracheal intubation
A.K. Jain, P.K. Sharma and A. Bhattacharya 23

CASE REPORTS

Severe tracheal stenosis and operative delivery
N. Sutcliffe, S.A.M. Remington, T.M. Ramsay and C. Mason 26

Massive lingual swelling following palatoplasty. An unusual cause of upper airway obstruction
M.T.V. Chan, M.S.H. Chan, K.S.Y. Mui and B.P.Y. Ho 30

Adrenaline administered via a nebulizer in adult patients with upper airway obstruction
S.P.J. MacDonnell, A.C. Timmins and J.D. Watson 35

Anaesthesia in an infant with Rubinstein-Taybi syndrome
L.A.H. Critchley, T. Gin and J.C. Stuart 37

Anaesthetic considerations in a patient with Fraser syndrome
S.R. Jagtap, A.D. Malde and S.H. Pantvaidya 39

APPARATUS

A new laryngeal mask prototype. Preliminary evaluation of seal pressures and glottic isolation
A.I.J. Brain, C. Verghese, P. Strube and J. Brimacombe 42

An evaluation of a new percutaneous tracheostomy kit
L.D. Caldicott, G.J. Oldroyd and A.R. Bodenham 49

A comparison of the priming properties of two central venous catheters and one pulmonary artery catheter
P.M. Sanderson 52

SPECIAL ARTICLE

A method of costing anaesthetic practice
P.J. Broadway and J.G. Jones 56

CLASSIC PAPER

The Manley ventilator 64

FORUM

Postoperative epidural infusion of a mixture of bupivacaine 0.2% with fentanyl for upper abdominal surgery. A comparison of thoracic and lumbar routes
A.M. Chisakuta, K.A. George and C.T. Hawthorne 72

Differential effects of vecuronium on the thumb and great toe as measured by accelography and electromyography
T. Kitajima, K. Ishii, T. Kobayashi and H. Ogata 76

The effect of pre-operative oral fluids on morbidity following anaesthesia for minor surgery
S.S. Gilbert, W.R. Easy and W.W. Fitch 79

CORRESPONDENCE 82

OBITUARIES 99

HAZARD NOTICE 99

Number 2, February 1995

EDITORIAL

Spinal cord monitoring
B.A. Loughnan and M.E. Fennelly 101

MAIN ARTICLES

The Riyadh Intensive Care Program mortality prediction algorithm assessed in 617 intensive care patients in Glasgow
A.T. Hope and J.L. Plenderleith 103

Haemodynamic and plasma catecholamine responses during total intravenous anaesthesia for laryngomicroscopy. Thiopentone compared with propofol
S.T. Mustola, G.A. Baer, T. Metsä-Ketelä and P. Laippala 108

A District General Hospital pain management programme: First year experiences and outcomes
F.E. Luscombe, L. Wallace, J. Williams and D.P.G. Griffiths 114

A thermographic study of paravertebral analgesia
S.P.S. Cheema, D. Ilsley, J. Richardson and S. Sabanathan 118

Gastric emptying in patients the day after cardiac surgery
D.R. Goldhill, R. Whelpton, J.A. Winyard and K.A. Wilkinson 122

Changes in intra-ocular pressure during general anaesthesia. A comparison of spontaneous breathing through a laryngeal mask with positive pressure ventilation through a tracheal tube
Y. Myint, A.K. Singh, J.E. Peacock and A. Padfield 126

The intensive care treatment of convulsive status epilepticus in the UK. Results of a national survey and recommendations
M.C. Walker, S.J.M. Smith and S.D. Shorvon 130

APPARATUS

A comparison of three variable performance devices for postoperative oxygen therapy
M.E. McBrien and W.F.S. Sellers 136

A new device for measuring and recording the forces applied during laryngoscopy
É.P. McCoy, B.A. Austin, R.K. Mirakhur and K.C. Wong 139

Use of a modified occlusal bite guard to prevent self-induced injury in intensive care patients
G.J. Roberts 144

CASE REPORTS

High frequency jet ventilation for severe haemoptysis during extracorporeal circulation
R. de Jongh, G. Vundelinckx, H. Schroe and R. Heylen 146

Management of life threatening adult postpneumonectomy syndrome
G.H. Evans and R.J. Clark 148

FORUM

Maternal hypoxaemia during labour and delivery: the influence of analgesia and effect on neonatal outcome
R.P. Griffin and F. Reynolds 151

Current management of inadvertent dural taps occurring during the siting of epidurals for pain relief in labour. A survey of maternity units in the United Kingdom
T. Sajjad and T.D.R. Ryan 156

CLASSIC PAPER 162

The Woolley and Roe case

CORRESPONDENCE 174

SAFETY ACTION BULLETINS 188

Number 3, March 1995

EDITORIAL

Unlicensed drug administration
C.M.P. Mather and S.W. O'Kelly 189

MAIN ARTICLES

The effect of midazolam premedication on implicit memory activation during alfentanil–nitrous oxide anaesthesia
A. De Roode, M. Jelicic, B. Bonke and J.G. Bovill 191

An assessment of the consistency of ASA physical status classification allocation
S.R. Haynes and P.G.P. Lawler 195

Determination of the reliability of three scoring systems to evaluate children after general anaesthesia
N.J. Keegan, F.S. Yudkowitz and C.A. Bodian 200

Magnesium deficiency in critically ill patients
A. Arnold, J. Tovey, P. Mangat, W. Penny and S. Jacobs 203

Lower limb nerve blocks in children using unsheathed needles and a nerve stimulator
A.T. Bösenberg 206

Lignocaine test dose to detect intravenous injection
A.M.J. Michels, G. Lyons and P.M. Hopkins 211

The effects of pethidine, fentanyl and lignocaine on postanaesthetic shivering
P. Alfonsi, J.-M. Hongnat, C. Lebrault and M. Chauvin 214

Sedation with intravenous infusions of propofol or thiopentone. Effects on pain perception
O.H.G. Wilder-Smith, M. Kolletzki and C.H. Wilder-Smith 218

Effects of ketamine on cerebral blood flow velocity in humans. Influence of pretreatment with midazolam or esmolol
S. Strebel, M. Kaufmann, L. Maître and H.G. Schaefer 223

APPARATUS

Forced-air warming maintains normothermia during orthotopic liver transplantation
C.M. Müller, S. Langenecker, H. Andel, I. Nantschev, T. J. Hölzenbein and M. Zimpfer 229

HISTORICAL NOTES

Nathan Keep—William Morton's Salieri?
P. Keep 233

CLASSIC PAPER

The Epstein-Macintosh-Oxford (EMO) inhaler 239

CASE REPORTS

Difficult tracheal extubation in a patient with an unsuspected congenital subglottic stenosis
T. Asai 243

Postoperative neuroleptic malignant syndrome
A. Shaw and E.E. Matthews 246

Raynaud's syndrome following intravenous induction of anaesthesia
N.M. Bedforth and D.J. Lockey 248

Intra-operative tracheal obstruction by tumour fragments
Y. Tzabar 249

Caesarean section in a patient with protein S deficiency
S.Z. Fan, M. Yeh and W. Tsay 251

FORUM

Transcervical endometrial resection syndrome
M. McSwiney, J. Myatt and M. Hargreaves 254

The effects of 2% lignocaine gel on incidence of retching with the use of the laryngeal mask airway
S.T. Chan and C.S. Tham 257

CORRESPONDENCE 259

ANNUAL REPORT OF COUNCIL 1993–94 272

Number 4, April 1995

EDITORIAL

Can the life of 'single use' breathing systems be extended?
A.J. Sutcliffe 283

MAIN ARTICLES

Pulmonary consequences of carbon dioxide insufflation for laparoscopic cholecystectomies
A.P. Kendall, S. Bhatt and T. E. Oh 286

Clonidine: an adjunct in isoflurane N_2O/O_2 relaxant anaesthesia. Effects on EEG power spectra, somatosensory and auditory evoked potentials
A.H. Gabriel, B. Faryniak, G. Sojka, T. Czech, E. Freye and C.K. Spiss 290

Analgesia after Caesarean section. The use of rectal diclofenac as an adjunct to spinal morphine
A.R. Dennis, C.G. Leeson-Payne and G.J. Hobbs 297

Postoperative analgesia with transdermal fentanyl following lower abdominal surgery
I.J. Broome, B.M. Wright, S. Bower and C.S. Reilly 300

Metabolic gas exchange during different surgical procedures
L. Lind 304

A comparison of vital capacity breath and tidal breathing techniques for induction of anaesthesia with high sevoflurane concentrations in nitrous oxide and oxygen
M. Yurino and H. Kimura 308

The influence of ketanserin or urapidil on haemodynamics, stress response and kidney function during operations for myocardial revascularisation
A. Petry, H. Wulf and M. Baumgärtel 312

Effects of propofol and Intralipid on immune response and prostaglandin E_2 production
C.-O. Pirttikangas, M. Salo, A. Riutta, J. Perttilä, O. Peltola and O. Kirvelä 317

The effect of maternal obesity on labour and labour pain
P. Ranta, P. Jouppila, M. Spalding and R. Jouppila 322

APPARATUS

Continuous monitoring of irrigating fluid absorption during transurethral surgery
R.G. Hahn, H. Larsson and T. Ribbe 327

CLASSIC PAPER

Intermittent positive pressure respiration in tetanus
M.K. Sykes 332

CASE REPORTS

Air embolism during awake craniotomy
S.M. Scuplak, M. Smith and W.F.J. Harkness 338

Prolonged tracheal intubation in an infant with tracheomalacia secondary to a vascular ring. A useful adjunct to treatment?
G. Reah and A. Entress 341

Eighty-seven days of orotracheal intubation
S. Iqbal and M. Zuleika 343

Anterior spinal artery syndrome. Paraplegia following segmental ischaemic injury to the spinal cord after oesophagectomy
H. Djurberg and M. Haddad 345

Cardiac arrest and resuscitation of a 6-month old achondroplastic baby undergoing neurosurgery in the prone position
A. Kelleher and A. Mackersie 348

FORUM

Premedication with midazolam in children. Effect of intranasal, rectal and oral routes on plasma midazolam concentrations
J-M. Malinovsky, C. Populaire, A. Cozian, J-Y. Lepage, C. Lejus and M. Pinaud 351

An adaptation of the objective structured clinical examination to a final year medical student course in anaesthesia and intensive care
L.A.H. Critchley, T.G. Short, T. Buckley, M.E. O'Meara, T. Gin and T. E. Oh 354

Edrophonium as an antagonist of vecuronium-induced neuromuscular block in the elderly
T. Kitajima, K. Ishii and H. Ogata 359

The effect of cardiac output on the onset of neuromuscular block by vecuronium
H. Iwasaki, M. Igarashi, M. Yamauchi and A. Namiki 361

Maternal position during induction of spinal anaesthesia for Caesarean section. A comparison of right lateral and sitting positions
A. Inglis, M. Daniel and E. McGrady 363

CORRESPONDENCE 366

BOOK REVIEWS 377

OBITUARIES 379

Number 5, May 1995

EDITORIAL

Recognition of the anaesthetist
M.K. Sykes 381

MAIN ARTICLES

A prospective study to assess the demand for a high dependency unit
C.G. Leeson-Payne and A.R. Aitkenhead 383

Cardiovascular and catecholamine response to surgery in brain-dead organ donors
R.D. Fitzgerald, I. Dechtyar, E. Templ, P. Fridrich and F.X. Lackner 388

Time course of action and intubating conditions following vecuronium, rocuronium and mivacurium
J.M.K.H. Wierda, F.D.M. Hommes, H.J.A. Nap and L. van den Broek 393

The influence of nitrous oxide on propofol dosage and recovery after total intravenous anaesthesia for day-case surgery
A.L. Lindekær, M. Skielboe, H. Guldager and E.W. Jensen 397

Local anaesthesia for cannulation. Has practice changed?
A.R. Dennis, C.G. Leeson-Payne, B.T. Langham and A.R. Aitkenhead 400

Prevention of nausea and vomiting after day case gynaecological laparoscopy. A comparison of ondansetron, droperidol, metoclopramide and placebo
L.D. Paxton, A.C. McKay and R.K. Mirakhur 403

Comparison of central venous pressure measurements in the intrathoracic and the intra-abdominal vena cava in critically ill children
M. Litmanovitch, H. Hon, D.K. Luyt, M. Dance and L.R. Mathiwha 407

Somatosensory evoked potential changes following electro-acupuncture therapy in chronic pain patients
A. Kumar, O.P. Tandon, A. Bhattacharya, R.K. Gupta and D. Dhar 411

Epidural infusion of alfentanil or diamorphine with bupivacaine in labour—a dose finding study
D.A. Hill, G. McCarthy and I.M. Bali 415

Epidural infusions of bupivacaine and diamorphine in labour
S.M. Lowson, K.A. Eggers, J.P. Warwick, W.J. Moore and T.A. Thomas 420

APPARATUS

Evaluation of the influence of movement on saturation readings from pulse oximeters
J.L. Plummer, A.Z. Zakaria, A.H. Ilsley, R.R.L. Fronsko and H. Owen 423

Measurement of tidal flow using a transit-time ultrasonic breath analyser
E.M. Williams, S.L.M. Burrough and H. McPeak 427

The output of an 'empty' Tec 3 vaporizer
S.G. Graham, J. Szafranski, D. Bland and J.A. Langton 433

HISTORICAL NOTES

Anaesthetic and postoperative recovery rooms. Some notes on their early history
D. Zuck 435

CLASSIC PAPER

Deaths associated with anaesthesia
W.D. Wylie 439

CASE REPORT

An asthmatic weaned from a ventilator using a laryngeal mask
J.C. Taylor and G.T. Bell 454

FORUM

Physostigmine in recovery from anaesthesia
C. Hamilton-Davies, R. Bailie and J. Restall 456

Prolonged starvation in paediatric surgery
G.R.Q. Veall and T. Dorman 458

Analgesia following day-case knee arthroscopy—the effect of piroxicam with or without bupivacaine infiltration
B.C. Morrow, K.R. Milligan and B.V.S. Murthy 461

Facilitation of laryngeal mask insertion. Effects of lignocaine given intravenously before induction with propofol
M.D. Stoneham, S.E. Bree and J.R. Sneyd 464

CORRESPONDENCE 467

THE 19TH ANNUAL LINKMAN CONFERENCE OF THE ASSOCIATION OF ANAESTHETISTS OF GREAT BRITAIN AND IRELAND, 1993 480

ERRATUM 484

Number 6, June 1995

EDITORIAL

Pondering authorship: a symptom of a deeper malaise
N. W. Goodman 485

MAIN ARTICLES

Utilisation of the pre-operative ECG
L.C. Callaghan, N.D. Edwards and *C.S. Reilly* 488

The uptake of enflurane during anaesthesia
D. Devchand, M.K. Chakrabarti and G.G. Lockwood 491

The effects of thiopentone and propofol on delayed hypersensitivity reactions
E.G. Devlin, R.S.J. Clarke, R.K. Mirakhur and T.A. McNeill 496

Intubating conditions following 1R CIS, 1′R CIS atracurium (51W89). A comparison with atracurium
I.H. Littlejohn, K. Abhay, A. El Sayed, C.J. Broomhead, P. Duvaldestin and P.J. Flynn 499

Dose-responses for edrophonium during antagonism of vecuronium block in young and older adult patients
G.J. McCarthy, R.K. Mirakhur, V.R. Maddineni and E.P. McCoy 503

Discrepancy of recovery times related to potency between atracurium and mivacurium simultaneously administered in isolated forearms
S.Y. Kim, K.H. Hwang, S.Y. Ok, S.I. Kim, S.C. Kim and W. Park 507

Rate of 'onset' and 'offset' of four non-depolarising neuromuscular blocking drugs
S.A. Feldman, X. Wu and A. England 510

Haemodynamic effects of tracheally administered adrenaline in anaesthetised patients
I.G. Kestin and A.B. McCrirrick 514

Prolonged interval jet ventilation. An alternative ventilation technique for patients with problematic cardiopulmonary pathophysiology
I.D. Conacher 518

APPARATUS

Clinical characteristics of commonly used spinal needles
D.F. Carson and M.G. Serpell 523

Effect of demand frequency on lockout period. The Abbott Provider 5500 Patient-Controlled Analgesia machine
A.R. Milner, R.J. Harwood, J. Millard, D.G. Bogod and J.P. Curran 526

Safelon—a new device to reduce needle-stick injuries during intravenous cannulation
J. Watters, R. MacCallum, S. Maurice and C. Robertson 529

Improved P_{CO_2} measurement in six standard blood gas analysers using a phosphate-buffered solution for gastric tonometry
G. Knichwitz, N. Mertes and M. Kuhmann 532

CLASSIC PAPER

On the efficiency of intragastric oxygen
E.A. Cooper 535

CASE REPORTS

Anaesthesia for a patient with tracheobronchomegaly (Mounier-Kuhn syndrome)
T.M. Bourne, J.H. Raphael and S.G. Tordoff 545

Hereditary angioneurotic oedema: current management in pregnancy
M. Cox and A. Holdcroft 547

FORUM

Propofol and postanaesthetic shivering
K.F. Cheong and T.C. Low 550

Comparison of direct blood pressure measurement at the radial and dorsalis pedis arteries during surgery in the horizontal and reverse Trendelenburg positions
T. Parry, N. Hirsch and N. Fawel 553

Ineffective analgesia after extradural tramadol hydrochloride in patients undergoing total knee replacement
D. Grace and J.P.H. Fee 555

The antiemetic effectiveness of droperidol during morphine patient-controlled analgesia
C.J. Roberts, J.M. Millar and V.A. Goat 559

CORRESPONDENCE 563

BOOK REVIEWS 578

SAFETY NOTICE 581

ERRATUM 581

Number 7, July 1995

EDITORIAL

No blood or blood products
M. Cox and J. Lumley 583

MAIN ARTICLES

Peri-operative outcome for day-case laparoscopic and open inguinal hernia repair
G.E. Rudkin and G.J. Maddern 586

Leukotriene B4 as a marker of cerebral dysfunction
A.P. Kendall, E.S. Lin and T.E. Oh 590

Somatostatin and total intravenous anaesthesia. Assessment of analgesic requirements during surgery and the effects on liver enzymes
F.S. Kanakoudis, A.S. Konstantinidou, A. Petrou, E.I. Taliouridou, A.L. Papadopoulou-Bouti and D.G. Michaloudis 594

No effect of circulating drug upon isolated forearm block
J.R. Hood, N.T.A. Campkin and S.A. Feldman 598

APPARATUS

The Hayek Oscillator. Nomograms for tidal volume and minute ventilation using external high frequency oscillation
A.J. Petros, S.S.D. Fernando, V.S. Shenoy and N.M. Al-Saady 601

The use of a portable refractometer to measure desflurane
E.W.S. Cheam and G.G. Lockwood 607

A combined high frequency oscillator and intermittent positive pressure ventilator
J.H. Raphael, I. Atkinson and M.D.R. Bexton 611

REVIEW ARTICLE

Anaesthesia and cystic fibrosis
T.S. Walsh and C.H. Young 614

CLASSIC PAPER

Balanced anaesthesia for Caesarian section
W. Bingham 623

CASE REPORTS

Continuous axillary brachial plexus blockade for reflex sympathetic dystrophy
P. Murray and R.E. Atkinson 633

Use of the laryngeal mask airway for respiratory distress in the intensive care unit
E.M. Arosio and F. Conci 635

High frequency jet ventilation in the management of intra-operative tracheal injury
C.A. Hodgson and S.M. Mostafa 637

Fatal subclavian artery haemorrhage. A complication of subclavian vein catheterisation
M.A. Mercer-Jones, R. Wenstone and M.J. Hershman 639

Unexpected brainstem compression following routine surgery in a child with oto-palato-digital syndrome
J.R. Clark, L.J. Smith, B.E. Kendall, R.C. Tasker and K.A. Wilkinson 641

FORUM

Comparison of propofol and fentanyl anaesthesia in coronary artery versus valve surgery
J. Bell, J. Sartain, G.A.L. Wilkinson and K.M. Sherry 644

Attitudes to the Association of Anaesthetists recommendations for standards of monitoring during anaesthesia and recovery
F.J. Pearsall, J.A. Davidson and A.J. Asbury 649

A comparison of droperidol and cyclizine in the prevention of postoperative nausea and vomiting associated with patient-controlled analgesia
A.D. Walder and A.R. Aitkenhead 654

CORRESPONDENCE 657

DEATHS OF MEMBERS REPORTED TO COUNCIL 669

Number 8, August 1995

EDITORIAL

Intensive care medicine in the reformed National Health Service
G.J. Baldock 671

MAIN ARTICLES

Laryngeal mask airway insertion using cricoid pressure and manual in-line neck stabilisation
D.A. Gabbott and M.P. Sasada 674

The role of continuous positive airway pressure during weaning from mechanical ventilation in cardiac surgical patients
C.R. Bailey, R.M. Jones and A.A. Kelleher 677

Movement of oral and nasal tracheal tubes as a result of changes in head and neck position
R. Hartrey and I.G. Kestin 682

Does dead space ventilation always alleviate hypocapnia? Long-term ventilation with plain tracheostomy tubes
J.W.H. Watt and A. Devine 688

Resuscitation skills of trainee anaesthetists
J.H. Bell, D.A. Harrison and B. Carr 692

The effect of nasal oxygen flow and catheter position on the accuracy of end-tidal carbon dioxide measurements by a pharyngeal catheter in unintubated, spontaneously breathing subjects
B. Øberg, T. Waldau, and V.H. Larsen 695

APPARATUS

The TOF-Guard neuromuscular transmission monitor. A comparison with the Myograph 2000
P.B. Loan, L.D. Paxton, R.K. Mirakhur, F.M. Connolly and E.P. McCoy 699

An assessment of portable carbon dioxide monitors during interhospital transfer
J.A. Donnelly, E.A. Smith, A.T. Hope and R.J.T. Alexander 703

The estimation of inspired isoflurane concentration in a low-flow system
S. Gowrie-Mohan, M.K. Chakrabarti and G.G. Lockwood 706

A fibreoptic laryngoscope for paediatric anaesthesia. A study to evaluate the use of the 2.2 mm Olympus (LF-P) intubating fibrescope
S.R. Wrigley, A.E. Black and V.S. Sidhu 709

CLASSIC PAPER

The bicarbonate story
S.A. Feldman 713

CASE REPORTS

Tracheal occlusion in the prone position in an intubated patient with Duchenne muscular dystrophy
D.B. Rittoo and P. Morris 719

Severe airway management problems during insertion of a cuffed oesophageal stent
B.T. Langham and I.M. McLaren 721

Percutaneous dilational tracheostomy. Malposition leading to delayed weaning
C.D. Rigg and L. Edmondson 724

FORUM

The use of protective gloves, the incidence of ampoule injury and the prevalence of hand laceration amongst anaesthetic personnel
M.R.J. Parker 726

Lifting and handling of patients by anaesthetists
J.B. Luntley, J. Ross and J. Pearce 729

Awareness during anaesthesia for implantable cardioverter defibrillator implantation. Recall of defibrillation shocks
A. Moerman, L. Herregods, L. Foubert, J. Poelaert, L. Jordaens, L. D'Hont and G. Rolly 733

Comparison between two fibrescopes with different diameter insertion cords for fibreoptic intubation
P. Hakala and T. Randell 735

Oxygen therapy reduces postoperative tachycardia
K. Stausholm, H. Kehlet and J. Rosenberg 737

A survey of obstetric patients who refuse regional anaesthesia
N.M. Gajraj, S.K. Sharma, A.J. Souter, Y. Pole and J.E. Sidawi 740

CORRESPONDENCE 742

Number 9, September 1995

EDITORIAL

Assessment and control of pain in children
A. Lloyd-Thomas 753

MAIN ARTICLES

Difficult direct laryngoscopy in patients with cervical spine disease
I. Calder, J. Calder and H.A. Crockard 756

The effect of nitrous oxide on the performance of psychomotor tests. A dose-response study
E.W.S. Cheam, D.P. Dob, A.M. Skelly and G.G. Lockwood 764

Effect of general anaesthesia and surgery on neutrophil function
F.A. Khan, R.S. Kamal, C.H. Mithani and M. Khurshid 769

Cardiac function during orthotopic liver transplantation with venovenous bypass
S.P.S. Cheema, A. Hughes, N. R. Webster and M.C. Bellamy 776

The clinical pharmacology of doxacurium in young adults and in elderly patients
R.A. Martlew and N.J.N. Harper 779

A prospective study of anaesthesia for quinsy tonsillectomy
J.J. Fagan and M.F.M. James 783

The effect of different end-tidal volatile agent and carbon dioxide concentrations upon the incidence of postoperative shivering
R.J. Harwood, P. Singh, D.P. Cartwright and A.W.A. Crossley 786

APPARATUS

An evaluation of the Universal PAC and Oxford Miniature Vaporizers for paediatric field anaesthesia
G.R. Craig, C.B. Berry and M.J. Yeats 789

CLASSIC PAPER

Problems of oxygenation and oxygen transport during haemorrhage
J.F. Nunn and J. Freeman 794

CASE REPORTS

Toxic epidermal necrolysis with adult respiratory distress syndrome
C. Wallis and W. McClymont 801

Delayed amniotic fluid embolism following Caesarean section under spinal anaesthesia
M.P. Margarson 804

Anaesthesia for Caesarean section in a patient with Klippel-Feil syndrome. The use of a microspinal catheter
M.R. Dresner and A.R. Maclean 807

FORUM

Peri-operative assessment of glomerular permeability
A.R. De Gaudio, E. Piazza, M.G. Barneschi, R. Ginanni, P. Martinelli and G.P. Novelli 810

Paravertebral blockade. Failure rate and complications
P.A. Lönnqvist, J. MacKenzie, A.K. Soni and I. D. Conacher 813

An assessment of morphine requirement after wisdom tooth extraction under general anaesthesia
K.E. Tighe, G. Gillan, P.K.J. Korczak and A.W.A. Crossley 816

Correct positioning of the epiglottis for application of the Brain laryngeal mask airway
T. Fukutome 818

The effect of a combination of rectal diclofenac and caudal bupivacaine on postoperative analgesia in children
V. Gadiyar, T.M. Gallagher, P.M. Crean and R.H. Taylor 820

CORRESPONDENCE 823

BOOK REVIEWS 836

Number 10, October 1995

EDITORIAL

'Walking' epidurals in labour
B.M. Morgan 839

MAIN ARTICLES

Molecular sieves: an alternative method of carbon dioxide removal which does not generate compound A during simulated low-flow servoflurane anaesthesia
J.P.H. Fee, J.M. Murray and S.R. Luney 841

Compliance with an incident report scheme in anaesthesia
J.P. Jayasuriya and S. Anandaciva 846

Lignocaine metabolite formation: an indicator for liver dysfunction and predictor of survival in surgical intensive care patients
J. Schröter, C. Wandel, H. Böhrer, H. Schmidt, B.W. Böttiger and E. Martin 850

Variable-dose patient-controlled analgesia. A preliminary report
H. Owen, J. Plummer, A. Ilsley, R. Hawkins, Z. Arfeen and K. Tordoff 855

The quality of breathing and capnography during laryngeal mask and facemask ventilation
D. Ivens, C. Verborgh, H. Phan Thi and F. Camu 858

A cadaver study appraising accuracy of blind placement of percutaneous tracheostomy
T.J. Dexter 863

APPARATUS

The use of the Hayek Oscillator during microlaryngeal surgery
P.S. Monks, C.J. Broomhead, M.G. Dilkes and P. McKelvie 865

The Ohmeda Universal PAC drawover apparatus. A technical and clinical evaluation
D.V. Lunn and P.C. Young 870

A microprocessor based photoplethysmograph for use in clinical practice
I.P. Wright, M. Griffiths and C. Childs 875

CLASSIC PAPER

Exponentials and the anaesthetist
W.W. Mapleson 879

CASE REPORTS

Cardiopulmonary complications during anaesthesia and surgery for severe thoracic lordoscoliosis
O.N.T. Bagshaw and A. Jardine 890

Skin tethering after dilatational percutaneous tracheostomy
H.B. Whittet, D.J. Commins and C.S. Waldmann 892

FORUM

Skin–epidural distance in children
A.T. Bösenberg and E. Gouws 895

Review of uses of the laryngeal mask in ENT anaesthesia
I. Nair and P. M. Bailey 898

Post cholecystectomy admission to the intensive care unit. Comparison between open, mini-lap and laparoscopic techniques
F.M. Messahel 901

A comparison of diclofenac with ketorolac for pain relief after knee arthroscopy
A.R. Dennis, C.G. Leeson-Payne and G.J. Hobbs 904

The effect of cerebrospinal fluid dilution of isobaric 0.5% bupivacaine used for spinal anaesthesia
Y-G. Cherng, H-H. Huang, T-G. Chen and C-L. Huang 906

CORRESPONDENCE 910

DEATHS OF MEMBERS REPORTED TO COUNCIL 924

SAFETY NOTICE 924

Number 10, October Supplement 1995

Is there a need for a new inhalational anaesthetic agent?
R.M. Jones and P.M. Ward 1

Physicochemical properties and pharmacodynamics of desflurane
E.I. Eger II 3

Implications of chemical and physical properties of desflurane for longer surgery
R.B. Weiskopf 9

Cardiovascular effects of desflurane in experimental animals and volunteers
R.B. Weiskopf 14

Circulatory effects of desflurane
P. Coriat 18

Recovery from outpatient anaesthesia. Factors affecting outcome
K. Korttila 22

Inhalation anaesthesia at the extremes of age: geriatric anaesthesia
P. Conzen and K. Peter 29

Inhalational anaesthesia at the extremes of age: paediatric anaesthesia
G.L. Olsson 34

Low-flow anaesthesia
J.A. Baum and A.R. Aitkenhead 37

Economic analysis and pharmaceutical policy: a consideration of the economics of the use of desflurane
E.I. Eger II 45

Economic analysis and pharmaceutical policy
J. Rovira 49

Number 11, November 1995

EDITORIAL

The fetus comes of age
A. Holdcroft 925

MAIN ARTICLES

Interobserver variation in the chest radiograph component of the lung injury score
S.C. Beards, A. Jackson, L. Hunt, A. Wood, C.M. Frerk, G. Brear, J.D. Edwards and P. Nightingale 928

Effects of magnesium sulphate on suxamethonium-induced complications during rapid-sequence induction of anaesthesia
M.R.W. Stacey, K. Barclay, T. Asai and R.S. Vaughan 933

Assessment of recovery following day-case arthroscopy. A comparison between propofol and isoflurane-based anaesthesia
A. Gupta, M. Kullander, K. Ekberg and C. Lennmarken 937

A comparison of the stress response to laryngoscopy. The Macintosh versus the McCoy blade
E.P. McCoy, R.K. Mirakhur and B.V. McCloskey 943

The influence of isoflurane on a continuous infusion of mivacurium
J.C. De Mey, K. Fonck, K. Mareels and G. Rolly 947

Comparative study of limited intentional normovolaemic haemodilution in patients with left main coronary artery stenosis
L. Herregods, L. Foubert, A. Moerman, K. François and G. Rolly 950

The effect of the anticoagulation regimen on endothelial-related coagulation in cardiac surgery patients
J. Boldt, E. Schindler, I. Welters, M. Wittstock, W.A. Stertmann and G. Hempelmann 954

The effect of a cervical collar on the tidal volume of anaesthetised adult patients
F.M. Dodd, E. Simon, D. McKeown and M.R. Patrick 961

APPARATUS

Lessons from *in vitro* testing of spinal needles
G. Lyons, P. Lesser and M. Bembridge 964

HISTORICAL NOTE

Early proponents of cardiac massage
H. Böhrer and M. Goerig 969

CLASSIC PAPER

The supine hypotensive syndrome
F. Holmes 972

CASE REPORTS

Severe hyperventilation and respiratory alkalosis during pressure-support ventilation: report of a hazard
P.T. Chui, G.M. Joynt and T.E. Oh 978

Anaesthesia in a child with Patau's syndrome
R.A. Martlew and A. Sharples 980

FORUM

Patients' attitudes to rectal drug administration
H.A.L. Vyvyan and Z. Hanafiah 983

Postoperative laryngeal competence. The laryngeal mask airway and tracheal tube compared
G.D. Stanley, B.A. Bastianpillai, K. Mulcahy and J.A. Langton 985

Comparison of the reinforced laryngeal mask airway and tracheal intubation for nasal surgery
P.J. Williams, C. Thompsett and P.M. Bailey 987

Metoclopramide and prochlorperazine do not decrease propofol hypnotic requirements
P.B. Ali and S.G. Graham 990

The anaesthetic management of Caesarean section for placenta praevia: a questionnaire survey
S.M. Bonner, S.R. Haynes and D. Ryall 992

Bilateral paravertebral analgesia for major abdominal vascular surgery: a preliminary report
J. Richardson, P. Vowden and S. Sabanathan 995

An evaluation of two concentrations of hyaluronidase for supplementation of peribulbar anaesthesia
C.W. Brydon, M. Basler and W.J. Kerr 998

CORRESPONDENCE 1001

Number 12, December 1995

EDITORIAL

Near infra-red spectroscopy
D.N.F. Harris 1015

MAIN ARTICLES

Health and activity after intensive care
J. Munn, S.M. Willatts and M.A. Tooley 1017

Relationship of admission thyroid function tests to outcome in critical illness
D.C. Ray, G.B. Drummond, E. Wilkinson and G.J. Beckett 1022

Pressure support ventilation during isoflurane anaesthesia
S.B. Bhatt, P.T. Chui, T. Gin, Y.H. Tam and T.E. Oh 1026

External high frequency oscillation in normal subjects and in patients with acute respiratory failure
N.M. Al-Saady, S.S.D. Fernando, A.J. Petros, A.R.C. Cummin, V.S. Sidhu and E.D. Bennett 1031

Anaesthesia and adverse effects after intrathecal pethidine hydrochloride for urological surgery
D. Grace and J.P.H. Fee 1036

Cerebral oximetry: a useful monitor during carotid artery surgery
L.A. Duncan, C.V. Ruckley and J.A.W. Wildsmith 1041

The neuromuscular blocking effects of vecuronium during sevoflurane, halothane and balanced anaesthesia in children
T. Taovaomem and O.A. Meretoja 1046

Evaluation of a new method for determining tracheal tube length in children
J.A. Freeman, B.J. Fredricks and C.J. Best 1050

Gastric regurgitation during general anaesthesia in different positions with the laryngeal mask airway
N. El Mikatti, A.D. Luthra, T.E.J. Healy and A.J. Mortimer 1053

The influence of anaesthetic technique upon the immune response to hysterectomy. A comparison of propofol infusion and inoflurane
C-O. Pirttikangas, M. Salo, M. Mansikka, J. Grönroos, K. Pulkki and O. Peltola 1056

APPARATUS

SCOTI—a new device for identification of tracheal intubation
D. Murray, M.E. Ward and J.W. Sear 1062

Resistance, reverse flow and opening pressure of unidirectional valves
D. Leibundgut and A.M. Zbinden 1065

CLASSIC PAPER

Percutaneous catheterisation of the internal jugular vein
I.C.W. English 1070

CASE REPORT

Relief of tension subcutaneous emphysema using a large bore subcutaneous drain
M.C. Kelly, J.A. Guigan and R.W. Allen 1077

FORUM

The accuracy of references in *Anaesthesia*
M. Asano, K. Mikawa, K. Nishina, N. Maekawa and H. Obara 1080

Postoperative emesis following otoplasty in children
D. Paxton, R.H. Taylor, T.M. Gallagher and P.M. Crean 1083

Comparison of ondansetron and droperidol in reducing postoperative nausea and vomiting associated with patient-controlled analgesia
R. Alexander, A.T. Lovell, D. Seingry and R.M. Jones 1086

CORRESPONDENCE 1089

ERRATUM 1104

INDEX 1105